## This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

### IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

FIG. 1





FIG. 2

- 5 M: ΦX174 DNA Size Marker, 1: S. aculeolatus, 2: S. albireticuli
  - 3: S. alofaciens, 4: S. albus, 5: S. aminophilus
  - 6: S. argenteolus, 7: S. carpinesis, 8: S. chartreuses
  - 9: S.cinnamonesis, 10: S.coeruleorubidus, 11: S. diastaticus
  - 12: S. erumpens, 13: S. griseolus, 14: S. hygroscopicus
- 15: R. equi, 16: T. paurometbola

### FIG. 3




M: DNA Size Marker consisting of DNA fragments of  $\Phi$ X174 digested with HaelII

- 1: S. scabiei ATCC 49173<sup>T</sup>
- 2: S. scabiei DSMZ 40962
- 3: S. acidiscabies ATCC 49003<sup>T</sup>
- 4: S. turgidiscables ATCC 700248<sup>T</sup>
- 5: Kangwon-S20, 6: Kangwon-S53, 7: Jeju-H11, 8: Jeju-H 20

10


5

FIG. 4




Scale: each - is approximately equal to the distance of 0.617934

### FIG. 5



#### FIG. 6



★: Non type strain T: Type reference strain

